

# Technical specifications

## RD CUP 180

### General information

|                      |       |
|----------------------|-------|
| Shape                | Round |
| Range                | D-CUP |
| Tamper evident       | No    |
| Standard lid name    | N/A   |
| Seal lid name        | N/A   |
| Alternative lid name | N/A   |

### Volume (margin +/- 1%)

in liters

|                  |       |
|------------------|-------|
| Volume under lid | N/A   |
| Volume brim full | 0,196 |



### Weight (margin +/- 3%)

in grams

|                                    |      |
|------------------------------------|------|
| Cup                                | 14,8 |
| Standard lid                       | N/A  |
| Seal lid                           | N/A  |
| Alternative lid                    | N/A  |
| Plastic handle hanging (KBS)       | N/A  |
| Plastic handle on collar (KBKT)    | N/A  |
| Steel handle (MB)                  | N/A  |
| Steel handle with roller grip (GR) | N/A  |

### Palletisation

Standardpallet  
12.000 pieces

Europallet  
N/A pieces


### Decoration

|                           |    |
|---------------------------|----|
| Is IML printing possible? | No |
|---------------------------|----|

### Dimensions (+/- 1%)

in millimeters

|                          |     |
|--------------------------|-----|
| Diameter top (no handle) | 70  |
| Diameter bottom          | 46  |
| Height without lid       | 86  |
| Height with standard lid | N/A |

### Raw materials

|  |                           |
|--|---------------------------|
| This cup is made of                                | Biobased<br>Polypropylene |
| Is this cup available made from recycled plastic?* | No                        |

### Stackability note

Stackability depends on many factors and any provided data is meant as an indication only. Consequently, users and/or packers should make internal trials to determine the viability of stacking and transportation.

# Technical specifications

## RD CUP 180

### Specifications of use

These cups should only be used for repeated contact with cold and hot drinks.

It is not allowed to apply labels or other markings on the cup.

Cups must be cleaned properly and sufficient to prevent food residues remaining in or on the cup.

Cups should be checked regularly for damage and other signs of use.

Cups that are so damaged and polluted that there are doubts about their intended use must be presented to the Supplier for the recycling process.

These cups are not suitable for use in the microwave.

Used cups must be offered to the supplier in the same way as they were delivered.

These cups may not be used for any purpose other than the use prescribed here.

### Compliance

This product is in compliance with Regulation (EU) 10/2011 and amendments and Regulation (EU) 1935/2004, relating to materials and articles intended to come into contact with food.

This product is in compliance with regulation (EU) 2023/2006 on GMP.

### Contact information

Industriestraat 30-34  
7482 EZ Haaksbergen  
The Netherlands

+31 (0) 53 572 3884  
info@rdplastics.nl  
www.rdplastics.nl

### Customer responsibility

In accordance with EU legislation, it is the responsibility of the customer to ensure that the supplied product is only used as described in "Specifications of use". Before using the product, make sure to read the specific "Declaration of Compliance according to 10/2011".

### Rules for collecting cups for the recycling process

In the following cases, cups may not be presented or collected for collection within the system.

- Cups from another brand.
- Cups that have been in contact with chemicals other than cleaning agents used for cleaning for the cup.
- Cups that are so contaminated that they can no longer be removed by means of surface cleaning.

### Certificate

This product is hereby testified, that the following examinations have been performed.

Dishwasher safe according to DIN EN 12875 at 125 cycles as well as of stable shape.

### Quality information

Deviations in the product specifications in this data sheet of 0,025% or less (i.e. 25 items per 100,000 pcs) are considered acceptable in the industry and therefore cannot be considered as a defect. Also, please refer to the General Sales and Delivery conditions in force at the time of delivery.